



REPUBLIC OF THE PHILIPPINES
NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

NDRRMC UPDATE

Situational Report No. **09** regarding Magnitude 6.3 in Tulunan, North Cotabato

Releasing Officer:



UNDERSECRETARY RICARDO B JALAD
 Executive Director, NDRRMC and
 Administrator, OCD

DATE: 21 October 2019, 6:00 AM

Sources: DOST-PHIVOLCS, DOH, DOE, DPWH, DSWD, DepEd, OCDROs XI, XII, BARMM, and CARAGA

I. Situation Overview

- On **16 October 2019**, at around 7:37 PM, a magnitude 6.3 earthquake occurred in Tulunan, North Cotabato with the following details:

Date/Time	16 October 2019 – 07:37:05 PM
Location	06.76°N, 125.01°E - 023 km S 62° E of Tulunan (North Cotabato)
Depth of Focus (Km)	009
Origin	TECTONIC
Magnitude	Ms 6.3
Expecting Damage	YES
Expecting Aftershocks	YES
Reported Intensities	<p>Intensity VII – Tulunan, M'lang, and Makilala, Cotabato; Magsaysay and Digos City, Davao del Sur; and Kidapawan City</p> <p>Intensity VI – Sto. Niño, South Cotabato; Tacurong City, Sultan Kudarat</p> <p>Intensity V – Alabel & Malungon, Sarangani; Lake Sebu, Palomolok, Tampakan, and Tupi, South Cotabato; Koronadal City; Roxas & Pikit, Cotabato; General Santos City; Davao City; Kalamansig, Lebak, and Palimbang, Sultan Kudarat</p> <p>Intensity IV – Kiamba, Sarangani; Esperanza and Rosario, Agusan del Sur; Kailangan, Quezon, Kadingilan, and Damulog, Bukidnon; Mawab, Campostela Valley; Cotabato City; Matanog, Barira, and Sultan Kudarat, Maguindanao</p> <p>Intensity III – Santa Josefa, Agusan del Sur; Iligan City; Dipolog City; Cagayan de Oro City; Gingoog City, Misamis Oriental</p> <p>Intensity II – Butuan City; Zamboanga City</p> <p>Intensity I – Hinatuan, Surigao del Sur</p> <p>Instrumental Intensities:</p> <p>Intensity VII – Kidapawan City</p> <p>Intensity V – Tupi and Polomolok, South Cotabato; Alabel, Sarangani</p> <p>Intensity IV – Kiamba, Sarangani; T'boli, South Cotabato; General Santos City</p>

	Intensity III – Cagayan de Oro City; Gingoog City, Misamis Oriental Intensity II –Cagayan de Oro, Misamis Oriental Intensity I – Dipolog City; Bislig City
Issued on	17 October 2019 – 5:15 PM

Source: DOST-PHIVOLCS

- As of **21 October 2019, 12:00 AM**, a total of **701 aftershocks were recorded** (previous report: 671) of which, **347 were plotted** (previous report: 329) and **40 were felt**, (previous report: 27) ranging from 1.5 to 5.5 Magnitude and Intensity of I to VII.

Source: DOST-PHIVOLCS

II. Effects

A. Incident Monitored

On 16 October 2019, minutes after the magnitude 6.3 earthquake, a fire incident occurred at the Gaisano Mall in General Santos City. The cause of fire is for further validation by the BFP XII. Initially, it was declared under control on 17 October 2019, 1:00 PM. However, at around 6:30 PM on the same day the fire rekindled and affected the 3rd floor of the mall. Fire out was declared on 17 October 2019, 10:30 PM.

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

B. Affected Population

- A total of **4,151 families / 20,755 persons** (previous report: 3,879 families / 19,395 persons) were affected in **79 barangays** (previous report: 76 barangays) in **Regions XI and XII**.
- Of which, a total of **269 families / 1,407 persons** (previous report: 58 families / 352 persons) are being served inside **3 ECs** while **608 families / 2,978 persons** (previous report: 572 families / 2,798 persons) are staying outside ECs.

REGION / PROVINCE / CITY / MUNICIPALITY	NO. OF AFFECTED		No. of ECs	SERVED POPULATION			
	Families	Persons		INSIDE ECs		OUTSIDE ECs	
				Families	Persons	Families	Persons
GRAND TOTAL	4,151	20,755	3	269	1,407	608	2,978
REGION XI	847	4,235	2	239	1,257	583	2,853
Davao del Sur	847	4,235	2	239	1,257	583	2,853
<i>Bansalan</i>	126	630	1	3	77	123	553
<i>Magsaysay</i>	469	2,345	1	236	1,180	233	1,165
<i>Matanao</i>	252	1,260	0	0	0	227	1,135
REGION XII	3,304	16,520	1	30	150	25	125
North Cotabato	3,304	16,520	1	30	150	25	125
<i>City of Kidapawan (capital)</i>	500	2,500	-	-	-	-	-
<i>Makilala</i>	2,256	11,280	1	30	150	25	125
<i>M'lang</i>	5	25	-	-	-	-	-
<i>Tulunan</i>	543	2,715	-	-	-	-	-

Source: DSWD DROMIC Report No. 05 as of 20 October 2019, 12:00 NN

Note: Ongoing assessment and validation.

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

C. Casualties

A total of **7 dead and 215 injured** (previous report: 6 dead and 208 injured) persons were reported in Regions XI, XII, and BARMM.

PROVINCE/CITY/ MUNICIPALITY	DEAD	INJURED	REMARKS
TOTAL	7	215	
Region XI	3	136	
Davao del Sur	3	136	
Magsaysay	3	45	Most of the injured persons sustained minor injuries.
Bansalan	-	16	
Kiblawan	-	6	Minor injuries
Hagonoy	-	2	Admitted at Southern Philippines Medical Center
Matanao	-	2	Admitted in different hospitals in Digos City
Digos City	-	65	Minor injuries
Region XII	3	79	
Cotabato	2	43	
Alamada	1	-	Died due to sudden cardiac arrest
M'lang	1	11	Died due to cardiac arrest secondary to hypertension
Kidapawan City	-	3	Injured persons were brought to Kidapawan City Hospital
Makilala	1	24	Injured persons were brought to Makilala Medical Hospital
Tulunan	-	4	
Pres. Roxas	-	1	
South Cotabato	-	29	
Koronadal City	-	27	
Tantangan	-	1	
Tupi	-	1	
General Santos City	-	7	
BARMM	1	0	
Maguindanao	1	0	Died due to collapsed wall during the earthquake incident

Source: OCDROs XI, XII, and BARMM

Note: Reported casualties are for further validation and verification.

D. Damage to Infrastructure (TAB A)

A total of **3,160 infrastructure** (previous report: 2,995 infrastructure) in **Regions XI, XII, and BARMM** were reported damaged due to the incident as shown below:

INFRASTRUCTURE	TOTALLY DAMAGED	PARTIALLY DAMAGED	TOTAL DAMAGE
GRAND TOTAL	506	2,654	3,160
Houses	482	2,065	2,547
Schools	10	435	445
Health Facilities	2	36	38
Other Public Structures	6	76	82
Places of Worship	4	16	20
Private / Commercial Establishments	2	15	17
Roads and Bridges	-	11	11

Sources: OCDROs XI, XII, and BARMM, DEPED, DPWH, and DSWD DROMIC Report No. 5 on EQ Incident in Tulunan, Cotabato as of 20 October 2019, 12:00 NN

E. Status of Lifelines (TAB B)

Power Supply

A total of **39 areas** in **Regions XI and XII** experienced power outage on of 16 October 2019. Power supply in all these areas were restored on 17 October 2019, 12:43 AM.

Sources: DOE and OCDRO XII

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

F. Suspension of Classes and Work (TAB C)

A total of **46** areas in Regions XI, XII, and BARMM declared suspension of classes and work on 17 October 2019. *As of 20 October 2019, suspension in all classes and work have been lifted.*

Sources: OCDROs XII, BARMM, and DepEd

G. Declaration of State of Calamity:

The following areas were declared under State of Calamity:

REGION/ PROVINCE/ CITY/MUNICIPALITY	RESOLUTION NO.	DATE
REGION XI		
Davao del Sur		
<i>Matanao</i>	Resolution No. 19-149, s. 2019	17 October 2019
<i>Bansalan</i>	Resolution No. 378, s. 2019	18 October 2019
REGION XII		
Cotabato		
<i>Makilala</i>	Resolution No. 46, s. 2019	17 October 2019

III. Actions Taken

NATIONAL DRRM COUNCIL (NDRRMC)

1. NDRRM Operations Center (NDRRMOC)

- a. The alert status was raised to BLUE at the NDRRM Operations Center effective 18 October 2019, 5:00 PM.
- b. Continuous coordination with NDRRMC Member-Agencies and affected OCDROs.

REGIONAL DRRM COUNCIL

RDRRMC XI

OCD XI

- a. Extended financial assistance worth ₱40,000.00 to the casualties in Tagum City with family packs, tarp and emergency shelter kits.
 - b. Coordinated the RDANA Team for deployment in Magsaysay and Bansalan, Davao City on 21-23 October 2019.
-

Effects of Magnitude 6.3 Earthquake in Tulunan, North Cotabato
DAMAGE TO INFRASTRUCTURE
as of 21 October, 6:00 AM

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
GRAND TOTAL		506	2,654	
HOUSES				
Region XI		482	2,065	
Davao del Sur		177	600	
	Magsaysay	165	469	
	Matanao	1	15	
	Bansalan	11	115	
Davao Occidental		0	1	
	Malifa	0	1	
Region XII		305	1,464	
Cotabato Province		305	1,452	
	Kidapawan City	-	6	
	M'lang	-	113	
	Matalam	-	2	
	Magpet	-	6	
	Tulunan	152	841	
	Makilala	153	484	
Sultan Kudarat		-	12	
	Columbio	-	12	
BARMM				
Maguindanao		-	1	
	Talayan	-	1	
SCHOOLS				
Region XI		10	435	
Davao City		4	148	
		0	23	
	A. Mabini Elementary School	-	1	
	Agdao Elementary School	-	1	
	Baguio Central Elementary School	-	1	
	Binugao Central Elementary School	-	1	
	Buda National High School	-	1	
	Bunawan Aplaya Elementary School	-	1	
	Calinan National High School	-	1	
	Diego Silang Elementary School	-	1	
	J. Cruz Sr. Elementary School	-	1	
	Kabacan Elementary School	-	1	
	Kanacan Elementary School	-	1	
	Langub Elementary School	-	1	
	Lourdes Elementary School	-	1	
	Lower Tamugan Nhs	-	1	
	Magtuod Elementary School	-	1	
	Mahayag National High School	-	1	
	Malagos Elementary School Sped Center	-	1	
	Mangas-As Elementary School	-	1	
	San Lorenzo Elementary School	-	1	
	Talomo Central Elementary School	-	1	
	Tawantawan Elementary School	-	1	
	Unapan Elementary School	-	1	
	Waan Elementary School	-	1	
Davao del Sur		4	82	
	New Clarin National High School	-	1	
	Union Elementary School	-	1	
	Anonang Elementary School	-	1	
	Sibayan Elementary School	-	1	
	St. Mary's College	-	1	
	Nazareth High School	-	1	
	Bansalan Central Elementary School	-	1	
	Darapuay Elementary School	-	1	
	Kinuskusan Elementary School	-	1	
	Barayong Central School	-	1	
	Linawan Elementary School	-	1	
	Bala National High School	-	1	
	San Isidro National High School	-	1	
	Kasuga Elementary School	-	1	
	Salud Cagas Technical and Vocational High School	-	1	
	Tacut Agricultural High School	-	1	
	Dona Salud High School	-	1	
	Bagumbuhay Elementary School	-	1	
	Digos City Central Elementary School	-	1	
	Digos City National High School	-	1	
	Balabag High School Annex	-	1	
	Digos City National High School - Balabag High School Annex	-	1	
	Digos City National High School - Soong High School Annex	-	1	Perimeter fence collapsed
	Goma National High School	-	1	
	Mahayahay Elementary School	-	1	

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Digos City	Pedro Basalan Elementary School	-	1	
	Ruparan National High School	-	1	
	Science High School In Digos City	-	1	
	Digos City Matti National High School	-	1	1 damaged classroom and 1 computer lab
	Digos City National High School	-	1	Damaged concrete fence
	Cor Jesu College	-	1	
Matanao	UM Digos College	-	1	
	Kauswagan Elementary School	-	1	
	New Mucia Elementary School	-	1	
	New Katipunan Elementary School	-	1	
	Sinawilan Elementary School	-	1	
	Camanchiles Elementary School	-	1	
	Cabiligan Elementary School	-	1	
	Catalino G. Tampipi Elementary School	-	1	
	Alfredo Eugenio Elementary School	-	1	
	Kibao Elementary School	-	1	
	Buas Elementary School	-	1	
	Ceboza Elementary School	-	1	
	San Vicente Elementary School	-	1	
	Sampaguita Elementary School	-	1	
	Matanao Central Elementary School	1	-	2nd storey wall collapsed at the back, column post cracks, and subject for demolition
	New Visayas Elementary School	1	-	Collapsed
	Sinawilan National High School	-	1	Cracked building
Matanao National High School	-	1		
Marcos Elementary School	-	1		
Colonsabac Elementary School	-	1	With cracked buildings, falling ceiling, damaged parapet	
Padada	Padada National High School	-	1	With cracked buildings, falling ceiling, damaged parapet
	Padada South Elementary School	-	1	With cracked buildings, falling ceiling, damaged parapet
	St. Michael's School	-	1	With cracked buildings, falling ceiling, damaged parapet
	TESDA Building	-	1	With cracked buildings, falling ceiling, damaged parapet
	Tulogan Elementary School	-	1	With cracked buildings, falling ceiling, damaged parapet
Hagonoy	La Union Elementary School	-	1	With minor damages
	Hagonoy Central Elementary School	-	1	With minor damages
	Clib Pre-School	-	1	With minor damages
	Lanuro Elementary School	-	1	With minor damages
	San Guillermo Elementary School	-	1	With minor damages
	Sacub National High School	-	1	With minor damages
	Sacub Elementary School	-	1	
	Cerino L. Lamosa Elementary School	-	1	
Kiblawan	Guihing National High School	-	1	With minor damages
	Serapion C. Basalo Memorial Elementary School	1		
	Kiblawan Central Elementary School	-	1	With minor damages
	Holy Cross of Kiblawan	-	1	With minor damages
	Bagong Silang Primary School	-	1	With cracks, recommended for inspection by DPWH
	Kibongbong Elementary School	-	1	With minor cracks
	Sto. Niño Elementary School	-	1	With cracks, recommended for inspection by DPWH appeared unsymmetrical
	Ihan National High School	-	1	
	Molopolo National High School	1	-	Severely damaged; considered unsafe for students
	Manual Elementary School	-	1	
Malalag	Bonifacio Elementary School	-	1	With minor cracks
	Malalag Central Elementary School	-	1	Concrete walls inclined
	Davao del Sur School of Fisheries	-	1	6 classrooms and computer laboratory
Sta. Cruz	Holy Cross of Malalag	-	1	PM Sisters Convent partially damaged
	Apolonio Franco Sr. Elementary School	-	1	
	Bato National High School	-	1	
	Tagabuli Elementary School	-	1	
	Agripina Elementary School	-	1	
	Sta. Cruz National High School	-	1	
Sulop	Manuel Francisco Sr. High School	-	1	
	Talas Elementary School	-	1	
	Jornales Elementary School	-	1	
Davao del Norte	Cebu Elementary School	-	1	
		0	37	
B. E. Dujali	Dujali National High School	-	1	4 classrooms has minor cracks and 2 rooms are temporarily closed
	Tanglaw National High School	-	1	4 classrooms with minor crack
Carmen	Camiling Elementary School	-	1	
	Alejal Elementary School	-	1	3 classrooms critically damaged
	Taba Elementary School	-	1	2 classrooms critically damaged
	La Paz Elementary School	-	1	2 classrooms critically damaged
New Corella	New Corella National High School	-	1	cracks on classroom walls

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Panabo City	Buenavista Elementary School	-	1	
	Cabili Elementary School	-	1	
	Central Elementary School	-	1	Minor cracks
	Dalisay Village Elementary School	-	1	
	Gredu Elementary School	-	1	Minor cracks
	Glecerio L. Dondoy Elementary School	-	1	Minor cracks
	Kasilak Elementary School	-	1	
	Katipunan Elementary School	-	1	1 room with major damage
	Katualan Elementary School	-	1	
	Kiotoy Elementary School	-	1	
	Manay Elementary School	-	1	Minor cracks
	Nanyo Elementary School	-	1	Minor cracks
	Namuag Elementary School	-	1	
	Panabo Central Elementary School Sped Center	-	1	
	Rizal Elementary School	-	1	1 building with major cracks
	Roxas Elementary School	-	1	
	San Francisco Elementary School	-	1	
	San Vicente National High School	-	1	
	Sta. Cruz Elementary School	-	1	
	Sto. Niño Elementary School	-	1	
Teofanis Gerona Elementary School	-	1		
Quezon National High School	-	1		
Tibungol Elementary School	-	1		
Waterfall Elementary School	-	1	Minor cracks	
Sto. Tomas	Sto. Tomas National High School	-	1	Minor cracks on structure
	New Katipunan Elementary School	-	1	light cracks on classroom walls
	Salvacion National High School	-	1	Damaged ceiling in one of the classrooms at the 2nd floor
	San Jose Elementary School	-	1	Major cracks on H. E. Building walls, column, and flooring
	Lunga-og Elementary School	-	1	structural damage on elevated concrete tank
Kinamon Elementary School	-	1	minor cracks	
Compostela Valley		0	6	
Nabunturan	Ogao Elementary School	-	1	cracks in every classroom ceiling
	Kao Senior High School	-	1	cracks in building
	Manat National High School	-	1	cracks in Junior and Senior High building (Grade 9 and 10)
	Nabunturan Central Elementary School	-	1	cracks in Grade 4 and SPED Building
	Nabunturan National Comprehensive	-	1	cracks in Grade 10 and 12 Building
Assumption College of Nabunturan	-	1	cracks mostly in the college building	
Region XII		6	258	
Davao Occidental		0	21	
Sarangani	Malungon Gamay Elementary School	-	1	6 rooms with cracks
	Pag-asa Integrated School	-	1	9 classrooms w/ minor cracks
	Kawas Central Elementary School	-	1	3 classrooms w/ minor damages and 1 TLS
	Lun Padidu National High School	-	1	8 classrooms with minor damages
	Malalag Central Elementary School	-	1	4 classrooms with minor damages
	Calatungan Elementary School	-	1	4 classrooms with minor damages
	Glan School of Arts and Trade	-	1	7 classrooms w/ minor cracks
	Alabel National High School	-	1	18 classrooms w/ minor cracks
	Alegria Central Elementary School	-	1	15 classrooms with minor damages
	Alegria National High School	-	1	1 classrooms with minor damages
	Tamban National High School	-	1	With cracks and broken glass
	Malalag Cogon National High School	-	1	With cracks in different buildings
	Tuyan Integrated School	-	1	7 classrooms w/ minor cracks
	Kinabalan Integrated School	-	1	With minor cracks
	Domolok Integrated School	-	1	3 classrooms w/ minor cracks
	Libi Integrated School	-	1	11 classrooms w/ minor cracks
	Nop Elementary School	-	1	With minor damages
	Margus Elementary School	-	1	Partially damaged room
Pangyan Elementary School	-	1	Partially damaged room	
Pangyan High School	-	1	Partially damaged room	
San Roque Adama Elementary School	-	1	Partially damaged room	
Cotabato Province		5	130	
Banisilan	Banisilan Central Elementary School	-	1	
	Riverside Primary School	-	1	
	Rancho Elementary School	-	1	
Tulunan	Banayal Elementary School	-	1	2 rooms with cracks on walls
	Colonsalafil Elementary School	-	1	
	Banayal National High School	-	1	4 rooms with cracks on walls
	Alimodian Elementary School	-	1	3 rooms with cracks on walls
	Batang Elementary School	-	1	3 rooms with cracks on walls
	Day Care Centers	-	9	cracks on walls
	Bituan Elementary School	1	-	Rooms of Grades 5 and 6 and old school building unsafe for occupancy
	Daig Elementary School	1	-	Major damages in classrooms of Grades 1, 2, 5, and 6
	Dapok Elementary School	-	1	1 room with cracks on walls
	Damawato Elementary School	-	1	1 room with cracks on walls
Galidan Elementary School	-	1	1 room with cracks on walls	
Kanibong Elementary School	-	1	2 rooms with cracks on walls	

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Tulunan	Lampagan Elementary School	-	1	1 room with cracks on walls
	Magbok Elementary School	1	-	Major damaged (computer room, kindergarten room, stage, kitchen and collapsed comfort room)
	Marbula Elementary School	-	1	7 rooms with cracks on walls
	Minapan Elementary School	-	1	6 rooms with cracks on walls
	Minapan National High School	-	1	1 room with cracks on walls
	Bunawan Elementary School	-	1	5 rooms with cracks on walls
	New Caridad National Vocational & Technological High School	-	1	
	New Caridad National High School	1	-	All classrooms unsafe for occupancy
	New Caridad Elementary School	-	-	5 rooms with cracks on walls
	New Panay National High School	-	1	1 room with cracks on walls
	New Panay Elementary School	-	1	1 room with cracks on walls
	Paraiso National High School	-	1	3 rooms with cracks on walls
	Paraiso Elementary School	-	1	1 room with cracks on walls
	Maybula Elementary School	-	1	
	Tuburan Elementary School	-	1	2 rooms with cracks on walls
	G. Baynosa Elementary School	-	1	
Magbok Alliance Center	-	1		
Nabundasan Elementary School and Day Care Center	-	1		
Carmen	New Bentangan Primary School	-	1	
	Old Bentangan Elementary School	-	1	
	Aroman Elementary School	-	1	
Midsayap	Rodero Elementary School	-	1	
	Capayangan Elementary School	-	1	
	Olandang National High School	-	1	
	Salunayan Hs - Nabalawag Hs Annex	-	1	
	Sadaan Elementary School	-	1	
	Malingao Elementary School	-	1	
	Kimagango Central Elementary School	-	1	
	Rangeban Elementary School	-	1	
Eliseo Elementary School	-	1		
Midsayap	Dr. C.H. Deles Elementary School	-	1	
	Central Bulanan Elementary School	-	1	
Matalam	Diosdado Almarines Elementary School	-	1	
Arakan	Merciano Dahan High School	-	1	
	F.A. Andolana Memorial National High School	-	1	
	Meocan High School	-	1	
	Greenfield National High School	-	1	
Libungan	Katipunan High School	-	1	
	Nicaan High School	-	1	
	Kitubod High School	-	1	
	Kitubod Elementary School	-	1	
	Libungan High School	-	1	
	Kioyao Elementary School	-	1	
	Sinapangan Elementary School	-	1	
	Grebona Pre-School	1	-	1 Building for demolition
Kabacan	Cabpangi Elementary School	-	1	
	Sinawingan Elementary School	-	1	
	Katiduan Central Elementary School	-	1	
Kabacan Senior High School	-	1		
Magpet	Magpet National High School	-	1	
	Noa Elementary School	-	1	
	Owas Elementary School	-	1	
	Manumba National High School	-	1	
Pikit	Sultan Memorial High School	-	1	
	Binandal Primary School	-	1	
	Balong Elementary School	-	1	
	Dulangan M. Abid Elementary School	-	1	
	Kabasalan Elementary School	-	1	
	Katilacan Primary School	-	1	
	Kolambog Elementary School	-	1	
	Macabua Elementary School	-	1	
	Mapagkaya Elementary School	-	1	
	Nunguan Elementary School	-	1	
	Punol Elementary School	-	1	
Silik Central Elementary School	-	1		
Datu Bitol Mangansakan Memorial Elementary School	-	1		
Aleosan	Tomado Elementary School	-	1	
	Sarayan Elementary School	-	1	
Matalam	Sarayan High School	-	1	
	Dalapitan Elementary School	-	1	
	Poblacion High School	-	1	
	Taguranao High School	-	1	
	New Alimodian High School	-	1	
	Linao High School	-	1	
	Kibia High School	-	1	
	Bangbang Elementary School	-	1	

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Makilala	San Isidro Elementary School	-	1	
	Sitio Mainit Elementary School	-	1	
	New Israel Elementary School	-	1	
	Makilala National High School	-	1	
	Kisante National High School	-	1	
	Kisante Central Elementary School	-	1	
	Kabilaw Elementary School	-	1	
	Buena Vida Elementary School	-	1	
	Balawan Elementary School	-	1	
	Agustin Doneza Elementary School	-	1	
	Notre Dame of Makilala	-	1	
	Katipunan II	-	1	
	Malungon Elementary School	-	1	
	Asuncion Elementary School	-	1	
	Ricardo L. Ipong National High School	-	1	
Braulio G. Dano Elementary School	-	1		
Malungong High School	-	1		
M'lang	M'lang National High School	-	1	2 buildings with crackson walls
	Mariano Untal Memorial High School	-	1	Visible cracks, collapsed walls, and damaged ceiling
	New January Elementary School	-	1	
	Nueva Vida National High School	-	1	Visible diagonal cracks and cracks on columns and beams
Kidapawan City	Calanusan National High School	-	1	3 classrooms with minor damage
	Lake Agco Integrated School	-	1	
	Mateo Elementary School	-	1	
	Nuangan Integrated School	-	1	
	Paco National High School	-	1	
	Ray Buenaventura A. Sabulao Memorial Elementary School	-	1	
	Sibawan Elementary School	-	1	
	Sikitan Elementary School	-	1	
	Malinan Elementary School	-	1	Multiple cracks
	Marbel Elementary School	-	1	Multiple cracks
	Amas National High School	-	1	cracks in classrooms extended from previous cracks
	Supadin (Habitat Elementary School)	-	1	cracks on walls
	Kalaisan Elementary School	-	1	With major damages
	Juan L. Gantuangco School of Arts and Trade	-	1	With major damages
Cayetano A. Javier Memorial Elementary School	-	1		
Manongol National High School	-	1	With major damages	
South Cotabato		0	83	
Lake Sebu	Lake Sebu Central Elementary School	-	1	
	Ned National High School	-	1	
	Diente Elementary School	-	1	
	Tubog Elementary School	-	1	With major damages
Koronadal City	Carpenter Hill Elementary School	-	1	
	Chua Elementary School	-	1	
	Concepcion Nationa High School	-	1	
	Esperanza National High School	-	1	
	Koronadal Central li Elementary School	-	1	
	Koronadal National High School	-	1	
	Magsaysay Elementary School	-	1	
	Namnama Elementary School	-	1	
Koronadal City	Osita Central Elementary School	-	1	
	Saravia National High School	-	1	
	Sta. Cruz Elementary School	-	1	
	Marbel 7 National High School	-	1	With major damages
	Mabini Elementary School	-	1	With major damages
	Mangga Elementary School	-	1	With major damages
	Namnama Elementary School	-	1	With major damages
	Day Care Center and Cacub Elementary School, Brgy. Cacub	-	1	
	Marbel 3 Elementary School	-	1	
	Marbel 1 Elementary School	-	1	
	Esperanza National High School	-	1	
Koronadal National High School	-	1	2 buildings partially damaged	
Surallah	Centrala Central Elementary School	-	1	
	Centrala National High School	-	1	
	Purok Sison Elementary School	-	1	
	Lambusong Elementary School	-	1	
	Colongulo National High School	-	1	
Polomolok	Dole Cannery Central Elementary School	-	1	
	Eustacio Barcatan Elementary School	-	1	
	Nicolas B. Barreras National High School - Bentung Sultit National High School Annex	-	1	
	Poblacion Polomolok National High School	-	1	
	Polomolok National High School	-	1	
	Polo Integrated School	-	1	
Eugenio Llido Rañada Elementary School	-	1		

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Polomolok	Silway-8 National High School	-	1	
	Kalyong Integrated School	-	1	
Santo Niño	Ambalagan Elementary School	-	1	
	Guinsang-An Elementary School	-	1	
	J. Blanco Elementary School	-	1	
	New Sara Elementary School	-	1	
	Panay Elementary School	-	1	
	San Isidro Elementary School	-	1	
	San Vicente Elementary School	-	1	
Norala	L. T. Morales Elementary School	-	1	
	Norala National High School	-	1	
Banga	San Vicente National High School - Banga National High School Annex	-	1	
	Upong Elementary School	-	1	
	Ebenezer Elementary School	-	1	
	Kusan Elementary School	-	1	
	Lamba National High School - Banga National High School Annex	-	1	
	Lamkot Elementary School	-	1	
	Lampitak Elementary School	-	1	
T'boli	Malaya National High School - Banga National High School Annex	-	1	
	Sinolon Elementary School	-	1	
	Tboli National High School	-	1	
	Toril Elementary School	-	1	
	Aflek Elementary School	-	1	
	Aflek National High School - Edwards National High School Annex	-	1	
	Edwards Elementary School	-	1	
Tampakan	Basag National High School - Tboli Annex	-	1	
	Malugong Central Elementary School	-	1	
	Maan National High School - Tboli Annex	-	1	
	Tampakan National High School	-	1	
Tantangan	Danlag Elementary School	-	1	
	Danlag National High School - Tampakan National High School Annex	-	1	
	Escobillo Elementary School	-	1	
	Datal Biao Integrated School	-	1	
Tupi	Tantangan National High School	-	1	
	Pagliaum Elementary School	-	1	
	San Felipe Elementary School	-	1	
Sultan Kudarat	Acfaon Elementary School, Bunao	-	1	Minor cracks in 4 rooms
	Bunao, Elementary School, Bunao	-	1	Minor cracks in 4 rooms
	Recardo Avila Elementary School, Linan	-	1	Minor cracks in 1 room
	Cebuano National High School	-	1	
	Tupi NHS, Poblacion	-	1	Minor cracks in stock room and ceiling of 4th floor
	Bolomala Elementary School, Bolomala	-	1	Minor crack
	Atbangan Elementary School	-	1	Minor cracks in 7 rooms
	Atbangan Elementary School	-	1	Minor cracks in 8 rooms and ceiling of clinic
	Palian Elementary School, Poblacion	-	1	Minor cracks in 13 rooms
	Tupi Central Elementary School, Poblacion	-	1	Minor cracks in 5 rooms
Bacqual National High School	-	1	Minor cracks in 3 rooms and crack on portion of beam	
Sultan Kudarat		1	24	
Bagumbayan	Bai Saripinang Elementary School	-	1	
	Mantisao Elementary School	-	1	
Isulan	Bambad Central School	-	1	
	Bambad National High School	-	1	
	Bual Elementary School	-	1	
	D. Lotilla Elementary School	-	1	
Lambayong	Bilumin Elementary School	-	1	
	Lambayong National High School	-	1	
	Pitiguian Elementary School	-	1	
	Pimbalayan Elementary School	-	1	
	Tinumigues Elementary School	-	1	
	Tumiao Elementary School	-	1	
	Matiompong Elementary School	-	1	
Lebak	E. Arcaña Memorial National High School	-	1	
	Lagandang Elementary School	-	1	
	Lebak National High School	-	1	
	Mangudatu National High School - Villamonte Annex	-	1	
	Lebak Legislated National High School	-	1	
	Purikay National High School	-	1	
Kalamansig	Tran National High School	-	1	
	Kalamansig National High School	-	1	with cracks; not suitable for occupancy
Columbio	Sucob Elementary School	1	-	Several rooms declared unsafe for occupancy
	Datablao Elementary School	-	1	minor cracks

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Columbio	Lam-Alis Elementary School	-	1	minor cracks
	Zeneben Integrated School	-	1	
BARMM		0	29	
Cotabato City		0	15	
	Muamad Elementary School	-	1	
	LR Sebastian High School	-	1	
	LR Sebastian Elementary School	-	1	
	Cotabato City National High School	-	1	
	Canizares National High School	-	1	
	Diocolano Elementary School	-	1	With major damages
	Sero Central School	-	1	With major damages
	Notre Dame Village National High School	-	1	With major damages
	J. Marquez National High School	-	1	With major damages
	Don E Sero Elementary School	-	1	With major damages
	Mandanas Elementary School	-	1	With major damages
	J. Marquez Elementary School	-	1	With major damages
	Tamontaka Central School	-	1	With major damages
P.C. Hill Elementary School	-	1		
Datu Ayunan National High School	-	1	With major damages	
Maguindanao		0	14	
<i>Datu Odin Sinsuat</i>	Camp Ebrahim Sema Elementary School	-	1	
<i>Upi</i>	Nangi National High School	-	1	
<i>Ampatuan</i>	Kauran Elementary School	-	1	
	Kauran National High School	-	1	
<i>Sultan Kudarat</i>	Simuay Junction Central Elementary School	-	1	
	Camp Darapanan Integrated National High School	-	1	
	Alamada Elementary School	-	1	
	Sandakan Elementary School	-	1	
	Datu Manguda Mangilay Memorial Elementary School	-	1	
<i>Sultan Mastura</i>	Hadji Edza Memorial Elementary School	-	1	
	Sultan Mastura National High School	-	1	
	Talayan National High School	-	1	
	Linamunan Elementary School	-	1	
	Matanog Central Elementary School	-	1	
HEALTH FACILITIES		2	36	
Region XI		0	10	
Davao del Sur		0	8	
<i>Digos City</i>	Davao del Sur Provincial Hospital	-	1	
	MCDC Hospital	-	1	
<i>Bansalan</i>	Tubod Health Center	-	1	
	Kinuskusan Health Center	-	1	
<i>Hagonoy</i>	Hagonoy Health Center	-	1	
<i>Kiblawan</i>	Sto. Niño Health Center	-	1	
<i>Matanao</i>	Municipal Health Office	-	1	partially damaged ceiling, toilet, and receiving area
	Kapoc Municipal Health Center	-	1	
Davao del Norte		0	1	
<i>Sto. Tomas</i>	Municipal Health Office	-	1	Minor cracks at room walls and slab ceilings
Compostela Valley		0	1	
<i>Montevista</i>	Compostela Valley Provincial Hospital Montevista	-	1	Minor damage
Region XII		2	26	
Cotabato Province		2	23	
<i>Aleosan</i>	Rural Health Unit Laboratory	-	1	cracks on walls
<i>Arakan</i>	Barangay Health Center - Ma. Caridad	-	1	cracks on walls
<i>Kabacan</i>	Desseret Hospital	-	1	cracks on walls
	Barangay Health Center - Tuael	-	1	cracks on walls
<i>Pres. Roxas</i>	Barangay Health Service - Lomonay	-	1	
	Barangay Health Service - Lama-Lama	-	1	
<i>M'lang</i>	Roldan Hospital	-	1	sustained multiple cracks
<i>Makilala</i>	Barangay Health Service - Concepcion	-	1	cracks on walls and flooring
	Carmen Municipal Hospital	-	1	sustained cracks on walls
	Barangay Health Service - Poblacion	-	1	
	Barangay Health Service - Old Bulatukan	-	1	
<i>Tulunan</i>	Barangay Health Centers (Batang, Daig, Bituan, Damawato, La Esperanza, Bunawan, Panay, Paraiso)	1	7	BHS in Brgy. Paraiso is totally damaged
	Birthing Center in Brgy. Paraiso	1	-	
	Sorilla Medical and Maternity Clinic	-	1	with minor cracks
<i>Antipas</i>	Birhen sa Regla Medical Clinic and Hospital	-	1	with minor cracks
	Arakan Valley District Hospital	-	1	
<i>Tupi</i>	Antipas Medical Specialist Hospital, Inc.	-	1	
	Roel I. Senador Memorial Hospital	-	1	Minor cracks in operating room
Sarangani		0	2	
<i>Maitum</i>	Rural Health Unit - Maitum	-	1	
<i>Malungon</i>	Rural Health Unit - Malungon	-	1	
Sultan Kudarat		0	1	
<i>Esperanza</i>	Barangay Health Service - Saliao	-	1	

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
OTHER PUBLIC STRUCTURES		6	76	
Region XI		4	54	
Davao del Sur		4	48	
<i>Magsaysay</i>	Magsaysay Municipal Hall	-	1	
	Matanao Municipal Hall	-	1	
	GKK of Kape	-	1	cracks on upper portion of altar
	Municipal Supergymnasium	-	1	minor crack on front portion and toilet area
	MDRRMC Operation Building	-	1	major and minor cracks on kitchen wall and storage room
	Municipal Fire Station	-	1	minor cracks on walls and damaged finishings
<i>Matanao</i>	ABC Building	-	1	
	Anisan Water Reservoir	-	1	
	Anisan Day Care Center	-	1	
	Kapoc Municipal Hall	-	1	
	Kapoc Municipal Supergym	-	1	
	Kapoc MDRRMC OpCen	-	1	
	Kapoc ABC Building	-	1	
<i>Digos City</i>	SSS Digos City	-	1	
	Poblacion Dos Public Mall	-	1	
	Poblacion Dos Municipal Hall	-	1	
	Poblacion Dos Legislative Building	-	1	
	New Clarin GKK Building	1	-	
	New Clarin Barangay Hall	-	1	
	Rizal GKK Building	-	1	
	Bitaug Tribal Hall	-	1	
<i>Bansalan</i>	Bitaug Daycare Center	-	1	
	Tubod Daycare Center	-	1	
	Tubod Multi-Purpose Building	-	1	
	Tubod Barangay Hall	-	1	
	Linawan Tribal Hall	-	1	
	Linawan Barangay Hall	-	1	
	Darupuy Mini Gym	-	1	
	Kinuskusan Barangay Hall	-	1	
	Kinuskusan Daycare Center	-	1	
<i>Padada</i>	BFP Station Building	-	1	
	ChenWu Building	-	1	
	Baron Yee Commercial Building	-	1	
	Plaza Solita	-	1	
	Tulugan Barangay Hall	-	1	
	Pallii Barangay Hall	-	1	
	Pallii Gym	-	1	
<i>Hagonoy</i>	Hagonoy Municipal Hall	-	1	
	PNP Station	-	1	
	NCDC	-	1	
	Agriculture Office	-	1	
	MSWD Office	-	1	
	Hagonoy SB Building	-	1	
	Guihing Gym	-	1	
<i>Kiblawan</i>	Poblacion Barangay Hall	-	1	
	Poblacion Gym	-	1	
	Sto. Niño Barangay Hall	-	1	
	Manual Water Reservoir	-	1	
	Manual Electric Post	1	-	
	Abnate Day Care Center	-	1	
	Latian Barangay Hall	1	-	
<i>Malalag</i>	Malalag ABC Building	1	-	
Davao del Norte		0	6	
<i>Sto. Tomas</i>	Kalahi Building	-	1	Hairline/minor cracks at room walls
	Australia Aid Building	-	1	Minor cracks at room walls and slab ceilings
	Municipal Information Office	-	1	Hairline cracks
	Municipal Assessors Office	-	1	Sagged wooden beam at the mezzanine
	Dangpanan ni Tomas	-	1	Minor and hairline cracks on walls
<i>Panabo City</i>	Panabo City Hall	-	1	Minor cracks
Region XII		2	21	
Cotabato Province		2	13	
<i>Tulunan</i>	Barangay Halls (Batang, Daig, Bituan, Damawato, La Esperanza, Bunawan, Caridad, Panay, Paraiso)	2	7	Barangay Hall in Paraiso and Batang are totally damaged
	Barangay Taculen Covered Court	-	1	
<i>Kidapawan City</i>	Barangay Hall - Singao	-	1	cracks on walls
<i>M'lang</i>	Barangay Hall - Nueva Vida	-	1	Visible diagonal cracks
	Sanguniang Bayan Building	-	1	sustained cracks on walls/ partially falling of ceiling
<i>Makilala</i>	Fire Station	-	1	sustained multiple cracks on walls
<i>Carmen</i>	Municipal Hall	-	1	Slightly damaged ceiling
General Santos City		0	1	
	City Hall - Gensan	-	1	cracks on walls

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Sultan Kudarat		0	7	
Columbio	Barangay Hall (Poblacion)	-	1	damaged 2nd floor ceiling (safe for occupancy)
	Municipal Hall	-	1	Multiple cracks
	MSWD Office	-	1	minor cracks
	Senior Citizens Office	-	1	minor cracks
	Municipal Engineering Office	-	1	minor cracks
	Municipal Agriculture Office	-	1	minor cracks
	Birth Home	-	1	minor cracks
BARMM		0	1	
Maguindanao		0	1	
Sultan Kudarat	Office of the District II Supervisor	-	1	
PLACES OF WORSHIP		4	16	
Region XI		2	10	
Davao del Sur		2	10	
Matanao	St. Michael Parish	-	1	Minor cracks
	St. Michael Parish (Anisan)	-	1	
	Kapoc GKK (Chapel)	-	1	
Hagonoy	Guihing Mosque	-	1	
Kiblawan	Silang Assembly of God	1	-	
	Tacul Baptist Church	1	-	
Bansalan	Churches in Bitaug	-	1	
	5 churches in Darupuyay	-	5	
Region XII		2	5	
Cotabato Province		2	5	
Tulunan	Church at Brgy. Banayal	-	1	cracks on walls
	Church in Brgy. Bituan	-	1	cracks on walls
	Chapel in Brgy. Paraiso	1	-	
	Aglipay Church in San Ramon	-	1	
	San Ramon Chapel	-	1	
Tupi	Public Shrine in Lampagang	1	-	For reconstruction
	Sta. Teresita Parish Church, Poblacion	-	1	Minor cracks at the altar
BARMM		0	1	
Maguindanao			1	
Talayan	Talayan Golden Mosque	-	1	
PRIVATE / COMMERCIAL ESTABLISHMENTS		2	15	
Region XI		0	11	
Davao del Sur		0	11	
Digos City	Gaisano Market Place	-	1	
	Novo Department Store	-	1	
	Laderas Bldg.	-	1	
	Gaisano Mall	-	1	
	Gaisano Center	-	1	
	Gaisano Grandmall	-	1	
	BDO Aurora	-	1	
	BPI Quezon Ave.	-	1	
	BDO Zone 3	-	1	
Gaisano Center Don Pedro Estrada	-	1		
	UniCity	-	1	
Region XII		2	4	
General Santos City		1	2	
	Gaisano Mall	1	-	fire incident at portion of the building in furniture section
	SM Mall	-	1	shattered glasses
	Veranza Mall	-	1	sustained cracks on walls and shattered glasses
Cotabato Province		1	1	
Midsayap	Novo Building (Commercial)	-	1	Slightly damaged
Tulunan	Commercial	1	-	Totally damaged
South Cotabato			1	
Koronadal City	KCC Mall	-	1	sustained cracks on walls and ceilings
ROADS AND BRIDGES		0	11	
Region XI		0	4	
Davao del Sur		0	4	
Matanao	Katipunan Bridge	-	1	Not passable
	New Katipunan Bridge	-	1	Passable to motorcycles only
Kiblawan	Tacub Road	-	1	Not passable due to landslide
	Bulolsalo Road	-	1	Not passable due to landslide
Region XII		0	7	
Cotabato 2nd District Engineering Office		0	4	
	Dualing-Baliki Silik Road	-	1	Cracks on carriage way
	Midsayap-Makar Road (Olandang Bridge 2 & 3)	-	1	Cracks on bridge and bank protection
	Banisan-Gulling Road (Malupog & Malitubog Bridge)	-	1	Cracks on bridge abutment
	Dualing-New Panay Road (Arizona and Upper Panicupan Bridge)	-	1	Cracks on bridge bank protection
Sarangani District Engineering Office		0	2	
	Maitum-Lake Sebu Road K1778+300 RS	-	1	Road slip; warning signs have been installed
	Digos - Makar Road, Buayan Bridge, Malungon	-	1	Cracks on beams of bridge; for further structural inspection / investigation

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
South Cotabato 2nd District Engineering Office		-	1	
	Upper Silway Bridge (Digos - Makar Road)	-	1	Cracks were noted on the beam of bridge (16mm to 18mm) and alligator cracks on slab; Installed warning signs and assigned maintenance crew to assist/control traffic flow.

Sources: OCDROs XI, XII, and BARM, DEPED, DPWH, and DSWD DROMIC Report No. 04 on EQ Incident in Tulunan, Cotabato as of 20 October 2019, 12:00 PM

Effects of Magnitude 6.3 Earthquake in Tuluhan, North Cotabato

POWER SUPPLY

as of 21 October 2019, 6:00 AM

PROVINCE	AFFECTED AREAS	DATE OF INTERRUPTION / OUTAGE	REMARKS
GRAND TOTAL:	39		
REGION XI	15		
Davao del Sur	Bansalan	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	City of Digos	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Hagonoy	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Magsaysay	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Matanao	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Padada	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Santa Cruz	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Kiblawan	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Malalag	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Sulop	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
Davao Occidental	Don Marcelino	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Jose Abad Santos (Trinidad)	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM

PROVINCE	AFFECTED AREAS	DATE OF INTERRUPTION / OUTAGE	REMARKS
Davao Occidental	Malita	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Sarangani	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Santa Maria	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
REGION XII	24		
Cotabato	Kidapawan City	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Antipas	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Arakan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Magpet	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Makilala	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	President Roxas	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Banisilan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Carmen	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Kabacan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Matalam	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Mlang	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Tulunan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM

PROVINCE	AFFECTED AREAS	DATE OF INTERRUPTION / OUTAGE	REMARKS
South Cotabato	Lutayan	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
South Cotabato	Tampakan	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Banga	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Koronadal City	16 October 2019, 7:36 PM	Power was restored on 16 October 2019 8:16 PM
	General Santos City	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 8:03PM
	Lake Sebu	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Norala	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Santo Nino,	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Surallah	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Tantangan	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Tboli	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
Sultan Kudarat	Luntayan	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 8:16 PM

Sources: DOE and OCDRO XII

Effects of Magnitude 6.3 Earthquake in Tulan, North Cotabato
SUSPENSION OF CLASSES
As of 21 October 2019, 6:00 AM

Region/Province/City/Municipality	Remarks	Date of Suspension	Date of Resumption
Region XII			
General Santos City	All Levels	17 October 2019	18 October 2019
North Cotabato	Cancellation of work in the provincial government but all department heads and Provincial Engineering Office will be present for the conduct of damage assessment	17 October 2019	20 October 2019
Pikit	All Levels	17 October 2019	18 October 2019
Pigcawayan	All Levels	17 October 2019	
Tulan	All Levels and work	17 October 2019	20 October 2019
Kabacan	All Levels	17 October 2019	18 October 2019
Arakan	All Levels	17 October 2019	
Magpet	All Levels	17 October 2019	
M'lang	All Levels	17 October 2019	20 October 2019
Pres Roxas	All Levels	17 October 2019	18 October 2019
Carmen	All Levels	17 October 2019	
Makilala	All Levels	17 October 2019	20 October 2019
Matalam	All Levels	17 October 2019	18 October 2019
Kidapawan City	All Levels and work	17 October 2019	20 October 2019
Antipas	All Levels	17 October 2019	18 October 2019
Sarangani			
Malunok	All Levels	17 October 2019	18 October 2019
Kiamba	All Levels	17 October 2019	
Maasin	All Levels	17 October 2019	
Alabel	All Levels	17 October 2019	
Malapatan	All Levels	17 October 2019	
Glan	All Levels	17 October 2019	
Matun	All Levels	17 October 2019	
Sultan Kudarat			
Lutayan	All Levels	17 October 2019	18 October 2019
Kalamantig	All Levels	17 October 2019	
Bagunodayan	All Levels	17 October 2019	
Sen. Ninoy Aquino	All Levels	17 October 2019	
Lambayong	All Levels	17 October 2019	
Columbio	All Levels	17 October 2019	
Tacurong City	All Levels	17 October 2019	
Isulan	All Levels	17 October 2019	
Esperanza	All Levels	17 October 2019	
South Cotabato			
Tuli	All Levels	17 October 2019	18 October 2019
Norsis	All Levels	17 October 2019	
Talil	All Levels	17 October 2019	
Tampayan	All Levels	17 October 2019	
Tampayan	All Levels	17 October 2019	
Koronado City	All Levels	17 October 2019	
Lake Sebu	All Levels	17 October 2019	
BARMM			
Maguindanao	All Levels	17 October 2019	18 October 2019
Cotabato City	All Levels	17 October 2019	
REGION XI			
Island Garden City of Samal	All Levels	17 October 2019	18 October 2019
Panabo City	All Levels	17 October 2019	
Davao City	All Levels	17 October 2019	
Davao Del Sur	All Levels	17 October 2019	
Davao Occidental	All Levels	17 October 2019	
Digos City	All Levels	17 October 2019	

Sources: OCDROs XII, BARMM and DDepEd